Residential Product News

Letter: R-113-26
Date: September 14, 2026
Subject: **New Wall Mount Air Handler**
Summary: This letter announces the launch of Wall Mount Air Handler (JWE)

Dear valued YORK customer,

We are pleased to announce the launch of our new Wall Mount Air Handler. Orders can now be placed in Order Navigator. The product line will be available in Selection Navigator on September 14, 2026.

The JWE model is a wall-mounted front return air handler unit. The unit can be positioned for front return in the up-flow position only. The unit is not designed to have a return air duct system attached to it.

These units can be in a closet, utility room, or basement. These versatile models may be used for cooling or heat pump operation with or without electric heat.

Top and side control wiring, color-coded leads for control wiring, and electric heaters all combine to make the installation easy and minimize installation cost.

All units are only offered as 208/230v single-phase. Electric heat kits are available as field-installed accessories and are available from 2kW to 10kW



YORK® is a registered trademark of Johnson Controls International plc and its affiliated companies. Used under license.

Features:

Next generation high-efficiency blower
5-tap ECM blower delivers increased airflow and reduced blower watts

Two-stage operation
Provides flexibility in application with single and two-stage outdoor equipment

Next generation insulation and gasket design
Reduces thermal transmission paths and reduces sweating

Electric heat kit
8HK field-installed series heat kits available for easy installation and service application

Designed for easy installation and service
Front facing components, slide out blower, laser cut knock outs and integrated duct flanges shorten install time

Unique design allows blower motors to be serviced and removed without the need to move the coil unlike other wall mount air handlers

A2L refrigerant ready
An R-454B refrigerant detection system (RDS) is factory installed

Accessories:

Electric heaters
8HK models include sequential operation and temperature dual limit switches for safe, efficient operation.


Breaker moisture seal accessory
A clear circuit breaker moisture barrier seals the breakers from humidity and dust. The flexibility of the clear cover allows circuit breakers to be turned ON or OFF without removing the cover. The cover firmly attaches to the access panel around the circuit breakers with the use of double backed adhesive tape. To ensure that moisture or dust does not contaminate circuit breakers, a circuit breaker cover seal may be ordered

Thermostat
Compatible thermostat controls are available through accessory sourcing. Units will operate with any 24v thermostat.

YORK® is a registered trademark of Johnson Controls International plc and its affiliated companies. Used under license.

Model Specs:

Model Number	Tonnage	UPC	Cabinet Dimensions (in.)			Opening Width (in.)			Wiring knockouts (in.)		Refrig Line Connection (in.)	
			A-Height	B-Width	Depth	C	D	E	F-Power	G-Control	Liquid	Vapor
JWE18C5BX2SS1	1.5	194720679780	42	21	21 1/2	21 7/16	20	20	7/8 (1/2) 1 3/8 (1) 1 23/32 (1 1/4)	7/8 (1/2)	3/8	3/4
JWE24C5BX2SS1	2	194720679797	42	21	21 1/2							
JWE30C5DX2SS1	2.5	194720679810	42	21	21 1/2							
JWE36C5DX2SS1	3	194720679827	42	21	21 1/2							



YORK® is a registered trademark of Johnson Controls International plc and its affiliated companies. Used under license.

Nomenclature

Number	Category	Option	Description
1	Product type	J	Air handler
2	Air handler type	W	Wall mount
		H	One piece
		S	Shorter cabinet
3	Motor Type	E	Constant torque
		C	Constant CFM
		V	Variable speed ECM
4, 5	Nominal capacity	18	1.5 ton
		24	2.0 ton
		30	2.5 ton
		36	3.0 ton
		42	3.5 ton
		48	4.0 ton
		60	5.0 ton
6	Cabinet width	A	14.5 in.
		B	17.5 in.
		C	21.0 in.
		D	24.5 in.
		E	19.6 in.
		F	22.0 in.
7	Refrigerant	5	R454B
8	Metering Device	A-W	TXV
		1-9	EEV
		X	No valve
9	Slab Size	A	2R-14-18
		B	2R-16-18
		C	2R-20-18
		D	3R-20-14
		E	3R-22-14
		F	3R-24-12
		G	3R-28-12
		H	3R-32-12
		J	4R-28-12
		Z	3R-16-14
		X	n/a
10	Voltage (voltage-phase-hertz)	2	208/230-1-60
		3	208/230-3-60
		4	460-3-60
11	Control Strategy	C	Communicating
		B	Wireless (Communicating)
		S	Standard (Conventional)
		W	Wireless (Conventional)
12	Accessories	S	A2L sensor
		N	None (no sensor)
13	Generation (major revision)	1	First generation
		2	Second generation
		3	Third generation
		4	Fourth generation

YORK® is a registered trademark of Johnson Controls International plc and its affiliated companies. Used under license.

Model Number Nomenclature Example

Number	1	2	3	4, 5	6	7	8	9	10	11	12	13	14
Option	J	W	E	18	C	5	B	X	2	S	S	1	A

Important Dates

Event	Date*
Sales Ready	Available
Ratings loaded to the AHRI Directory	Available
Tech Guides & Marketing collateral available on Navigator	September 11, 2026
Launch R-Letter	Available
Selection Navigator	September 14, 2026
Pricing	Available
Product Availability / Shipment	October 1, 2026
**Dates are subject to change*	

Summary

We are confident the JWE will be a powerful addition to your indoor portfolio and will complement both the air conditioning and heat pump lineups. We look forward to supporting your teams as we bring this new product to the market.

The following wall mount air handler models are now available to order:

JWE18C5BX2SS1
JWE24C5BX2SS1
JWE30C5DX2SS1
JWE36C5DX2SS1

The models are now available in Order Navigator. The product line will be available in Selection Navigator on September 14, 2026. Supporting documentation can be found in Solution Navigator.

Warm regards,

Mark Reding

Mark Reding
Product Manager
mark.reding@bosch-hcgroup.com

YORK® is a registered trademark of Johnson Controls International plc and its affiliated companies. Used under license.